


rmp

Risk control
Lighting for Car Parks



In partnership with



Lighting for Car Parks

Introduction

The City & Suburban Electric Carriage Company (City & Suburban) opened the first multi-storey car park in the UK in May 1901¹. The 19,000 square foot facility had seven floors and space for 100 vehicles and an electric elevator to move the vehicles between floors.

In 1902 City & Suburban opened its second garage in a converted building in Westminster known as Niagara that could house 230 vehicles. At both facilities vehicles were housed, serviced, cleaned, and delivered to owners on request.

When people think about car accidents it is likely that they may think about road traffic collisions on motorways or busy roads. However, rather surprisingly, one in five vehicle collisions occur within car park environments².

Outcomes of Poor Lighting

Insufficient, excessive or inappropriate lighting can be a significant risk factor in a range of situations within car parks:

- Low light levels may hide wet or contaminated surfaces or changes in floor levels which may lead to increased risk of slips, trips and falls - the UK's most prolific category of injury incidents³
- Sudden contrasts in lighting can glare, dazzle and momentarily blind drivers and pedestrians causing collisions between moving vehicles and people or with other vehicles and structures
- Flashing / strobing lighting can be distracting or alter visual perception affecting judgements and decision making regarding distance and movement that can result in collisions
- Dimly lit or dark areas can encourage criminal activity

Legislation

There is currently no specific piece of legislation relating to the illumination of public or private car parks, however, there are more general legal requirements, general principles and good practice standards in the form of Health and Safety Executive (HSE) guidance and British Standards that should be taken into consideration by prudent and conscientious organisations keen to reduce risks within its car park portfolio.

The owners or persons in control of car parking facilities maintain civil duties under the Occupiers Liabilities Act 1957⁴ to take reasonable steps to ensure the safety of visitors to their premises. While under the Health and Safety at Work Act 1974⁵ employers are required to look after their employee's health, safety and welfare, as well as protect others (non-employees including visitors) from undue risk connected to work activities and work environments.

The Workplace (Health, Safety and Welfare) Regulations 1992 Approved Code of Practice and Guidance (L24)⁶ states that every workplace should have suitable and sufficient lighting, and that every workplace should be organised in such a way that pedestrians and vehicles can circulate in a safe manner.

The HSE's guidance document - HSG 136: Workplace Transport Safety — An Employers' Guide⁷ is a useful resource in providing some general principles about safe parking areas.

It recommends that parking areas should:

- Be clearly sign-posted, well lit and easy to find
- Allow clear visibility for both drivers and pedestrians
- Have firm, stable, level, well-drained surfaces that are not slippery
- Have clearly marked parking areas with safe walking areas
- Be located close to where people need to go.

Ultimately, like many risk issues, our legal framework sets rather vague standards to be achieved but rarely dictates precisely how organisations should satisfy their obligations. This is a deliberate strategy to ensure that legislation is flexible enough to allow duty holders with differing risks and resources to find and apply a range of control solutions across a variety of situations, through the use of a risk based approach. For example, it would be unreasonable to expect a temporary car park in a field for a summer fete to maintain the same level of safety provisions implemented as a city centre multi-storey car park.

Developers of new car parking facilities are expected to consider relevant standards and regulations at the planning phase of new construction projects and design and implement adequate lighting solutions.

Assessing Car Parks

It falls upon those who own or control car parks to arrange for a suitably competent person(s) to risk assess each car park and decide if the lighting levels are 'suitable and sufficient' to allow people and vehicles to circulate safely and that other risks associated with poor lighting or coverage can be managed effectively.

To conduct a suitable and sufficient risk assessment, assessors are likely to need an accurate light meter and consider factors including:

- Whether it is an open or covered facility
- The impact of the weather and surrounding features such as trees
- The position, type and condition of existing lighting units
- Whether 'borrowed lighting' is available from neighbouring facilities or from street lighting
- The design and layout of traffic flows, parking bays, available space for manoeuvring
- Blind spots created by structural elements
- Whether pedestrians need to negotiate stairs, steps or ramps
- The materials used in traffic route construction and current condition and colour of surfaces
- The level of traffic usage and hours of access
- Any history of accidents and incidents at the site

If the conclusion of the assessment is that the current levels of lighting are creating potentially significant risk then the duty holder should take reasonably practicable measures to improve the situation. However, when changing or introducing new luminaires into an environment like a car park, care has to be exercised not to introduce additional hazards and risks and specialist advice may be required to select suitable equipment to avoid issues such as:

- Dazzle, glare or flicker
- Overspill into neighbouring properties that could cause complaints or become a nuisance
- Disturbance to the local natural environment caused by artificial lighting⁸

The risk assessment should be retained and reviewed periodically and when significant changes to the car park are proposed.

Conclusion

Lighting car parks in the correct manner is essential to provide a safe environment for stakeholders who utilise them. Having too little or too much light may have a detrimental effect on user experience within the car park.

Good design not only promotes enhanced safety for the user, but also offers the potential for reduced energy consumption. This can be achieved through the use of more efficient lighting products and smart control systems. The financial benefits can not only be seen through lower

energy usage, but also through lower maintenance costs due to the life expectancy of the products being greater.

Ensuring sufficient lighting levels for car parks may seem straight forward but a large amount of planning is required to make it work effectively. Basing decisions on how busy the car park is, its size, type and location will also assist in building an accurate understanding of the risk. The implementation of inspections will also assist in the process to identify if more needs to be undertaken and if specialised advice should be sought.

References

- 1 <https://www.britishparking.co.uk/News/first-uk-multi-storey-car-park>
- 2 <https://www.autoexpress.co.uk/car-news/109152/uk-drivers-spend-15bn-repairing-parking-prangs-each-year>
- 3 <https://www.hse.gov.uk/statistics/causinj/index.htm>
- 4 <https://www.legislation.gov.uk/ukpga/Eliz2/5-6/31/contents>
- 5 <https://www.legislation.gov.uk/ukpga/1974/37/contents>
- 6 <https://www.hse.gov.uk/pubns/priced/l24.pdf>
- 7 <https://www.hse.gov.uk/pubns/books/hsg136.htm>
- 8 https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/228832/9780108508547.pdf.pdf

Further information

For access to further RMP Resources you may find helpful in reducing your organisation's cost of risk, please access the RMP Resources or RMP Articles pages on our website. To join the debate follow us on our LinkedIn page.

Get in touch

For more information, please contact your broker, RMP risk control consultant or account director.

contact@mpartners.co.uk



Risk Management Partners

The Walbrook Building
25 Walbrook
London EC4N 8AW

020 7204 1800
mpartners.co.uk

This newsletter does not purport to be comprehensive or to give legal advice. While every effort has been made to ensure accuracy, Risk Management Partners cannot be held liable for any errors, omissions or inaccuracies contained within the document. Readers should not act upon (or refrain from acting upon) information in this document without first taking further specialist or professional advice.

Risk Management Partners Limited is authorised and regulated by the Financial Conduct Authority. Registered office: The Walbrook Building, 25 Walbrook, London EC4N 8AW. Registered in England and Wales. Company no. 2989025.